

WOM channel viewer plugin

The plugin is initialized using the init object in **window.wom**

The application creates an event **wom-viewer-init** with which you can initialize the plugin and prepare it for work by passing the necessary parameters.

Quick Start

```
<script src="https://channel-viewer.womprotocol.io/static/js/wom.js"></script>
<script>
  document.addEventListener("wom-viewer-init", function () {
    window.womChannelViewer.init({
      merchantId: "ICWT3_60502f360b62caccafa06037",
      selector: "#wom-channel-viewer-plugin",
      channelId: "6054b8fe7343a8327256883a",
      isDev: false,
    });
  });
</script>
<div id="wom-channel-viewer-plugin"></div>
```

Initial parameters

- [merchantId](#)
- [channelId](#)
- [selector](#)
- [isDev](#)

merchantId

Type: `string`

Specifies the `merchantId` for which product videos will be retrieved. Can be viewed in *Campaign Manager*.

A required parameter.

channelId

Type: `string`

Determines the ID of the product inside the **Shopify**. Needed in order to get a video only for this product.

A required parameter.

selector

Type: `string`

Determines the selector to which the application will be rendered.

A required parameter.

isDev

Type: `boolean`

Defines the environment for the application and their endpoints. To develop (and use the development environment), you need to use a value = `true`.

Default value: `false`

A optional parameter.